

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**


THIS PAGE BLANK (USPTO)



INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : G06F 3/12	A1	(11) International Publication Number: WO 99/15955 (43) International Publication Date: 1 April 1999 (01.04.99)
(21) International Application Number: PCT/US98/20151 (22) International Filing Date: 25 September 1998 (25.09.98) (30) Priority Data: 08/937,989 26-September-1997 (26.09.97) US (71) Applicant: EASTMAN KODAK COMPANY [US/US]; 343 State Street, Rochester, NY 14650 (US). (72) Inventors: WOOD, Christopher, G.; 2845 Denoon Road, Caledonia, NY 14423 (US). HULL, Thomas, Richard; 111 Hawthorne Drive, Spencerport, NY 14559 (US). SIKORSKI, Richard, Edward; 6 Birmingham Drive, Rochester, NY 14618 (US). ADAMS, Daniel, Howard; 24 Mill Valley Road, Pittsford, NY 14534 (US). (74) Agent: RUSHEFSKY, Norman; 343 State Street, Rochester, NY 14650-2201 (US).		(81) Designated States: JP. European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE). Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>

(54) Title: ESTABLISHMENT AT A REMOTE LOCATION OF AN INTERNET/INTRANET USER INTERFACE TO A COPIER/PRINTER



(57) Abstract

A copier or printer apparatus provides printed copies in accordance with instructions provided by respective remote users of the apparatus. The apparatus comprises a marking engine for printing copies of information; a user interface supervisor for controlling interface between users and the marking engine; and a network web server that downloads software to a computer at a remote location to which a remote user has access to provide user interface software for establishing a user operational interface for communicating requirements for a print job to the user interface supervisor for printing by the marking engine. In operation, the web server downloads applets for execution by the computer at the remote location wherein downloaded applets provide a program for the computer at the remote location to process data for a printer interface display screen page for viewing by the remote user.

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TR	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

-1-

ESTABLISHMENT AT A REMOTE LOCATION OF AN
INTERNET/INTRANET USER INTERFACE
TO A COPIER/PRINTER

BACKGROUND OF THE INVENTION

5 **Field of the Invention**

The invention relates to networked copiers/printers and more particularly to an apparatus and method to facilitate a user's set-up of production jobs for running the copier and /or printer while the user is at a remote location.

Description of the Prior Art

10 In the prior art, copier and/or printers are known wherein a job either scanned or generated by, for example, a computer or word processor is stored along with other jobs in a file server. Alternatively, provision may be made for scanned jobs to be input to the copier's job image buffer without waiting in the file server's queue. Details for printing the job such as number of copies and other
15 well known details can be set-up at a remote terminal and the job file sent to a server where the job is queued and waits its turn for sending to the copier and/or printer (hereinafter copier/printer). If there is a need to change the job production requirements or the priority in the queue, the list of jobs waiting in the queue is available to the user at the remote terminal and adjustments may be made. There
20 is thus provided the advantage that users at remote locations from the copier/printer may make adjustments or provide copy or print job (both hereinafter referred to as print jobs) set-ups without the need to actually be present at the machine.

A problem, however, is that users of the copier/printer, in order to
25 have this access, must have the same software packages and same types of computer system platforms, i.e., IBM PCs, Apple Computers or Sun Microsystems workstations. A site system administrator may have to load and administer this software on multiple platforms and hundreds of computers. When upgrade is needed, each machine using this software needs to have the software
30 updated.

-2-

A second problem exists in that there is no interaction with the copier/printer until the print job is actually sent. Since most printers today do not support bi-directional communication, the user of the system must go to the copier/printer to see if their job has printed.

5

SUMMARY OF THE INVENTION

It is an object of the invention (1) to provide a user interface to all users on the Internet and/or intranet without loading software packages on every computer system and (2) provide real-time communication with the copier/printer during job setup. After the print job is submitted to the copier/printer, the user will be able to query the system remotely, to check on the status of their print job. To access the user interface remotely, the user will use a Java-enabled Web Browser. To upgrade software, the site system administrator will only need to load the new software in one place (on the copier/printer). The next time a user accesses the copier/printer with their Web Browser, a new Java applet will be downloaded to their machine.

In accordance with the invention, there is provided a copier or printer apparatus for providing printed copies in accordance with instructions provided by respective remote users of the apparatus, the apparatus comprising a marking engine for printing copies of information; a user interface supervisor for controlling interface between users and the marking engine; and a network web server which downloads software to a computer at a remote location to which a remote user has access to provide user interface software for establishing a user operational interface for communicating requirements for a print job to the user interface supervisor for printing by the marking engine.

25

In accordance with another aspect of the invention, there is provided a method of operating a copier or printer apparatus having a marking engine for providing printed copies in accordance with instructions provided by respective remote users of the apparatus, the method comprising operating a network web server to download software to a computer at a remote location to which a remote user has access to provide user interface software for establishing a user operational interface display on the computer for use in communicating

30

-3-

requirements for a print job for printing by the marking engine; and operating the marking engine for printing copies of information in accordance with the requirements for the print job

BRIEF DESCRIPTION OF THE DRAWINGS

5 The subsequent description of the preferred embodiments of the present invention refers to the attached drawings wherein:

FIG. 1 is a schematic view depicting components of an Internet or Intranet networked copier/printer system programmed to operate in accordance with the method and apparatus of the invention;

10 FIG. 2 is a block diagram of a control system for enabling a user to interface with a copier/printer apparatus of FIG. 1 in accordance with the method and apparatus of the invention;

FIG. 3 is a flowchart for establishing a user interface at a remote location for a user to set up a print or copy job for printing in accordance with the method of the invention; and

15 FIG. 4 is an example of a user interface screen that may be accessed by a remote user via the Internet or intranet networked copier/printer system of FIG. 1.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

20 Because apparatus of the general type described herein are well known, the present description will be directed in particular to elements forming part of, or cooperating more directly with, the present invention.

The system described herein may desirably employ known systems and software for image generation, workstations or terminals, and printer and scanner controls.

25 With reference now to FIG. 1, an exemplary networked document production system 10 is illustrated. The system 10 includes a plurality of remote workstations 11, 11', 11" connected through the Internet or an intranet network 12 to one or more computers 30, 30' running Web Server software. The computers 30, 30' are each connected either directly or over a similar communication network with a respective copier/printer 15, 15'. Typically the computers 30, 30'

-4-

may be placed upon or next to the respective copier/printer 15, 15'. The computers 30, 30' each also acts as a respective file server to store documents or alternatively the file server may be separate from the respective computers 30, 30'. The computers 30, 30' each stores print jobs in a queue for transmission to
5 respective marking engines 15, 15'. User interface software is also resident on each computer 30, 30' to allow a user to interface with the respective copier/printer for setting up a print job. The remote workstations 11, 11', 11" each run web browser software to connect to, for example, the Internet/intranet. When a user of one of the remote workstations desires to connect to, for example, the
10 copier/printer 15 using the web browser software package, the web server software resident on computer 30 causes the computer 30 to download the user interface software to the workstation requesting a connection. After the user interface software has been downloaded to the requesting remote workstation, it begins executing on the respective remote workstation 11, 11', 11". The copier/printer 15
15 may be a black-and-white or color electronic copier/printer, preferably of the electrophotographic type, however, other forms of electronic copier/ printers may also be used. As is well known, image data of each of plural jobs may be stored in electronic form on a storage device associated with the remote workstations 11, 11', 11" or on computer 30. A scanner 14, 14', 14" may additionally be part of
20 each workstation. The print jobs may be obtained from documents scanned into scanners 14, 14', 14" associated with a respective computer 11, 11', 11" or documents created originally on the computers or modified after scanning into the computers. Each job may comprise plural pages of images for printing and a request for printing each production job may have various parameters associated
25 with the job. An example of a set of parameters can be seen in FIG. 4 which is a basic user interface display page for the printer 15. As can be seen from the display page, a user has choice selections across a top row to select various job operations such as scan, reprint, assemble, manage, reset, proof set, send/start. The various job operations for selection and other options being described may be
30 selected via touch screen operation, mouse-cursor selection or through buttons provided as part of the screen or on an accessory housing.

-5-

The various job operations will now be described. -

Scan operation - The scan operation gives a user the ability to scan hard copy originals into the system and either store or print copies of the original.

Reprint operation - The reprint operation gives a user the ability to
5 select document files from storage and print hard copy.

Assemble operation - The assemble operation gives the ability to create new documents from existing documents. Documents can be edited, reordered, merged, deleted and annotated.

Manage operation - The manage operation gives a user the ability
10 to view jobs in the system and manage the workflow for a printing system. perform system administration set of the system and customer maintenance of the printer.

Below this row of operation options is a display line indicating the operation selected, the job ID number/storage location for the job, job name and
15 quantity currently being worked on. In the example of FIG. 4 the scan operation is selected.

Below the display line are several columns of options, namely sides to be imaged, collate selections, paper supply options, image quality (darken-lighten) selections, reduction/enlargement selection, finisher selections, quantity
20 requested. Additional display options for selection can call up job information such as job level features, page level features, and instructions. The job level and page level features allow each job to be set up in accordance with complex features drawn to changes or editing on a page level basis within a job. Other features include image annotation and image merge, etc. In this regard, see U.S.
25 Patent 5,113,222.

Additional information on the display page may include a display section indicating jobs currently in the server print queue and a status section identifying the state of the selected printer and the selected scanner. The above display page is typical of a display for a printer that can be accessed either by a
30 walk-up user at computer 30, 30' or by a user at one of the remote workstations 11,

-6-

11', 11" attached to, for example, local area network (LAN) or the Internet via a modem or other suitable connection.

While it is known to transmit data remotely for printing via a more generally accessible system such as on the Internet the ability to set up the job for specific print requirements using the printer's display screen user interface is not available without the user having available a specific software package and operating system essentially duplicating that of the printer's normal interface.

With reference now to FIG. 2, a block diagram of a control system enabling a user at a remote workstation 11, 11', or 11" to interface with a printer apparatus 15 of FIG. 1 in accordance with the method and apparatus of the invention is illustrated. In FIG. 2, only workstation 11 is illustrated cooperating with computer 30 and printer 15, it being understood that the other workstations operate substantially simultaneously albeit their possibly having different computer operating systems as noted in FIG. 1. In addition, the various workstations 11, 11', 11" may be networked with each of the computers 30, 30' to set up printing jobs on the respective printers 15, 15' similarly to that described with reference to Figure 2. In accordance with the invention, a printer user interface software package and specific operating system need not be resident with a user's terminal at a remote location. Rather, access to the printer for setup of a production job is provided via a network connection to computer 30 which is running web server software to which multiple remote users may also have access to.

In the schematic of Figure 2, an intranet network is shown capable of supporting plural client remote workstations 11, 11', 11". Each workstation is connected via, for example, a LAN type intranet network or the Internet, to a web server computer 30. Connection via satellite or wireless telephone is also contemplated. The web server computer 30 may take the form of a Sun Microsystems work station and have various application programs as indicated. The web server computer 30 includes file server memory 39 for also storing copy or print jobs and thus is a special purpose file server tailored for receipt of jobs from the network which could be the worldwide web. The computer 30 supports

-7-

hypertext transport protocol (HTTP) and File Transfer Protocol (FTP) and listens for information on a particular port on its machine and responds by sending documents and data to the requester at the remote workstations. Requests for connection are made by the workstations by use of resident web browser programs
5 20 resident at the respective workstations 11, 11', 11".

A web browser is a program that runs on a client computer 11, 11' or 11" (the client computer or workstation can be an IBM PC, Macintosh, Sun Microsystems workstation, etc.). The browser makes connection to a machine that is running a web server, and receives documents and data. If a Java applet is
10 downloaded to the client's computer, the client's computer will operate a Java Virtual Machine and will execute the program. The software for the Java Virtual Machine is a part of the web browser software package 20 (Java enabled browser) on the client's workstation 11, 11' or 11". The Java Virtual Machine provides the platform independence so that users may run programs from a variety of client
15 computer operating systems. Java is a computer programming language created by Sun Microsystems. The Java language is very similar to the C++ programming language. A unique design aspect of the Java programable language is its support for the Internet.

The web server computer 30 includes a web server application
20 program 32 which interfaces with requests from the web browser 20 using an http (hyper-text transport protocol) connection 18. The web server application program 32 has access via operating system software to a series of files 38 that include user interface display screen pages in hyper-text markup language (html) as well as "applets" for establishing a program on the user's computer for receiving
25 the interface screen pages and providing user interaction with a User Interface Supervisor 34. Applets are created in the Java language and are small software applications that are platform independent and run under the web browser's 20 control. The applets provide TCP/IP connections (sockets) 17 between user interface screens and the User Interface Supervisor 17. The User Interface
30 Supervisor 34 is a software program that may be resident in the web server computer 30 that translates user requests coming from Java applets 21 now

-8-

established in the web browser 20 into events going to a User Applications Program 35 which are basically the software typically resident on a copier/printer that are used to make up all of the feature functions available to a user. These known features are identified above.

5 The User Interface Supervisor 34 also translates status and commands from the User Applications 35 into status and commands that are sent to the Java applets 21 in the web browser 20. For non-diagnostic displays, i.e., print job set-up data, it provides sequencing of displays and internationalization. In the case of diagnostics displays, sequencing internationalization is via HTML
10 and Java. The diagnostic displays are, for example, displays that communicate error(s) in machine operation or need for maintenance. Internationalization is a subprogram that provides the necessary functions to support foreign languages.

 Application subprograms forming the User Interface Supervisor 34 include: an applet/screen interface which contains the communication routines
15 necessary to communicate with the screen applets, an interface translator which converts messages from applets to a format that can be understood by the User Applications program, and messages from the User Applications program 35 to a format that can be understood by the applets 21 in the web browser 20. An application interface subprogram contains the communication routines necessary
20 to communicate with the User Applications program 35. A User Interface Manager subprogram of the User Interface Supervisor provides "thread" and "sockets" for each user connected to the web server. The "thread" and "sockets" are respectively clear communication pathway opportunities and connections for the respective users. The connections 17, 18, while shown as separate lines, are
25 actually on the same set of wires typically but represent communication with different protocols.

 In use of the apparatus of Figure 1 and 2, and with reference to the flowchart of Figure 3, a user at any one of the user remote computer or workstations 11, 11' or 11" starts a web browser software application program 20
30 resident in the respective workstation and operable with a conventional computer operating system such as Windows, Macintosh or Unix. Examples of web

-9-

browser applications are Netscape Navigator Microsoft Internet Explorer or Sun Hot Java, etc. The user, say at workstation 11, in response to a prompt from the web browser's conventional search screen display inputs the Internet or intranet address (Uniform Resource Locator or URL) of the copier/printer, step 110. In
5 Step 120, in response to entry of the address, the web browser 20 makes an http connection 18 with the web server 32 of computer 30. The web server 32 then downloads an HTML document and a Java applet from an HTML document and Java files 38, step 130. The Java applet may be an application program for enabling display of the downloaded document, which could be an initial printer
10 screen page providing a prompt for the user to input an identification (ID) code to provide access to the copier/printer where user authorized codes are required. The Java Virtual Machine in step 140 executes the Java applet, step 140, to enable the remote workstation to display the initial display page. In step 150, the Java applet running in the Java Virtual Machine of the web browser will connect to the User
15 Interface Supervisor (UIS) 34 of the computer 30 by establishing a TCP/IP (Transmission Control Protocol/Internet Protocol) socket communication connection 17 between the UIS 34 and the workstation 11. In step 180, the workstation 11 waits for a user input. When a user input is received of say the ID (identification) code, step 190, the user input is sent to the UIS 34, step 200. In
20 response, in step 210, the UIS provides data and other commands through the thread and socket connection to the work station 11 for the next user interface screen such as the display screen page illustrated in Figure 4 to allow input of user data regarding the requirements for the print job. The Java applet 21 previously provided to terminal 11 is programmed to accept the new screen page input data
25 from the UIS 34 and to communicate the data regarding print job requirements (requests) as input by the user to the UIS via the TCP/IP socket connection 17. The process for providing additional screens or recalling previous screen pages are provided over the TCP/IP socket communication connection 17. To the operator at the remote terminal, the interface with the copier/printer after establishing the
30 thread and socket or TCP/IP communication channel appears similar to that of an operator control/panel of a conventional copier/printer.

-10-

After the user requirements for reproduction of the print job is provided, the print job residing in a documents file memory 22 at the workstation is identified by the user, say by file name, and is downloaded from the file memory 22 (such as hard disk drive) of the workstation 11 to a temporary memory storage file 37 that is part of computer 30.

When the printer is ready to accept the next job to be printed and this job is the print job above-referred to and stored in temporary memory 37, the marking engine supervisor 33 in computer 30 communicates over bus 26 with the marking systems supervisor 23 of the copier/printer 15. The marking systems supervisor 23 then signals the marking engine control 27 to signal the job image buffer 24 to accept the print job from temporary memory 37 into the job image buffer 24. The print job is downloaded to the job image buffer 24 which stores the entire print job. The storage of the entire job in the job image buffer 24 allows plural copies to be made using electronic recirculation of data as is described in U.S. Patent 5,047,955 and 5,623,585.

As the print job is running, the copier/printer 15 provides status and error messages. These messages might include information such as number of copies completed, number to be completed and possibly other messages. Error messages indicating a jam or malfunction in a machine component may also be provided. These messages are communicated by the marking systems supervisor 23 over the bus 26 to the marking engine supervisor 33 and then to the UIS 34. They are then communicated over the TCP/IP socket 17 to the net web browser Java applet 21 and displayed on the workstations CRT or other similar type display, step 160.

In lieu of printing documents from the workstation, the user at terminal 11, through say an access code communicated via the socket 17, may access a file server memory 39 or library of documents in computer 30 to print a document file resident in this memory. The UIS 34 communicates display pages of the files resident in memory 39 and the user requests communicated over socket 17 to the UIS 34 provides an indication of the selection of a particular document is sent to the job image buffer 24 via lines 26 when the buffer is ready to receive

-11-

the next document file. The file may then be printed by outputting same to the marking engine as described above. Computer 30 also serves as user interface for a walkup user of the copier/printer 15. The computer 30 includes a web browser 31 which communicates with web server 32 to use applets from the HTML and Java files 38 to be processed for establishing user interface display screen pages on the CRT or other type display of computer 30. A documents file memory 36 is also provided for storing documents input by the user at Computer 30. A remote user may also access the file server memory 39 to permanently store documents created or transmitted to the remote computer.

10 The invention has been described in detail with particular reference to preferred embodiments thereof and illustrative examples, but it will be understood that variations and modifications can be effected within the spirit and scope of the invention.

-12-

WHAT IS CLAIMED:

1. A copier or printer apparatus for providing printed copies in accordance with instructions provided by respective remote users of the apparatus, the apparatus comprising:
 - 5 a marking engine operable to print copies of information;
 - a user interface supervisor for controlling interface between users and the marking engine; and
 - a network web server which downloads software to a computer at a remote location to which a remote user has access to provide user interface
 - 10 software for establishing a user operational interface for communicating requirements for a print job to the user interface supervisor for printing by the marking engine.
2. The apparatus of Claim 1 wherein the web server is operable to download applets for execution by the computer at the remote location wherein
- 15 downloaded applets provide a program for the computer at the remote location to process data for a printer interface display screen page for viewing by the remote user.
3. The apparatus of Claim 2 wherein the web server is operable to download to the computer an HTML document for creation of the printer
- 20 interface display screen page.
4. The apparatus of Claim 3 wherein the applets may be executed by the computer to establish a socket connection with the user interface supervisor.
5. The apparatus of Claim 2 wherein the applets are executable
- 25 by the computer to establish a socket connection with the user interface supervisor.

-13-

6. The apparatus of Claim 5 wherein a web browser is on the computer and establishes an HTTP connection with the web server.

7. The apparatus of Claim 6 wherein the socket connection is a
5 TCP/IP socket.

8. The apparatus of Claim 4 wherein the web browser on the computer establishes an HTTP connection with the web server.

9. The apparatus of Claim 8 wherein the socket connection is a TCP/IP socket.

10 10. A method of operating a copier or printer apparatus having a marking engine for providing printed copies in accordance with instructions provided by respective remote users of the apparatus, the method comprising:
operating a network web server to download software to a computer including a display screen at a remote location to which a remote user
15 has access to provide user interface software for establishing a user operational interface display at the computer for use in communicating requirements for a print job for printing by the marking engine; and
operating the marking engine for printing copies of information in accordance with the requirements for the print job.

20 11. The method of Claim 10 wherein the web server downloads applets for execution by the computer at the remote location and wherein downloaded applets provide a program for the computer at the remote location to process data for a printer interface display screen page for viewing by the remote user.

-14-

12. The method of Claim 11 wherein the web server downloads to the computer an HTML document for creation of the printer interface display screen page.

5 13. The method of Claim 12 wherein the applets are executed by the computer to establish a socket connection with a user interface supervisor of the copier or printer apparatus.

14. The method of Claim 11 wherein the applets are executed by the computer to establish a socket connection with a user interface supervisor.

10 15. The method of Claim 14 wherein a web browser on the computer establishes an HTTP connection with the web server.

16. The method of Claim 15 wherein the socket connection is a TCP/IP socket.

17. The method of Claim 13 wherein a web browser on the computer establishes an HTTP connection with the web server.

15 18. The method of Claim 17 wherein the socket connection is a TCP/IP socket.

20 19. The method of Claim 10 wherein plural remote computers are in communication with the network web server and receive respective HTML documents from the network web server for creation of respective printer interface display screens at the remote computers.

20. The method of Claim 19 wherein the plural remote computers operate on different computer platforms from each other.

1/4




FIG. 1




FIG. 2

3/4




FIG. 3

☐ SCAN

☐ REPRINT

☐ ASSEMBLE

☐ MANAGE

☐

☐

☐

☐

SCAN: JOB ID #00000/STORAGE LOCATION/JOB NAME/QTY: 000000

SIDE IMAGED	COLLATE	PAPER	IMAGE QUALITY	REDUCE/ENLARGE	FINISHERS	QUANTITY
1-->1	YES	<div style="border: 1px solid black; padding: 2px;">BODY</div> <div style="border: 1px solid black; padding: 2px;">NAME</div> <div style="border: 1px solid black; padding: 2px;">A4</div> <div style="border: 1px solid black; padding: 2px;">20 LB.</div> <div style="border: 1px solid black; padding: 2px;">WHITE</div> <div style="border: 1px solid black; padding: 2px;">STANDARD</div> <div style="border: 1px solid black; padding: 2px;">COVERS</div> <div style="border: 1px solid black; padding: 2px;">FRONT:</div> <div style="border: 1px solid black; padding: 2px;">A4</div> <div style="border: 1px solid black; padding: 2px;">PRINT - 1 SIDE</div> <div style="border: 1px solid black; padding: 2px;">BACK:</div> <div style="border: 1px solid black; padding: 2px;">A4</div> <div style="border: 1px solid black; padding: 2px;">PRINT - 2 SIDES</div> <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">CHECK SUPPLIES</div> <div style="border: 1px solid black; padding: 2px; margin-top: 5px;">SELECT</div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">9</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">8</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">7</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">6</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">5</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">4</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">3</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">2</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">1</div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">100</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">+</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">-</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">PRESETS...</div>	<div style="border: 1px solid black; padding: 2px; text-align: center;">TOP EXIT</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">STAPLER...</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">STACKER...</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">BOOKLET MAKER...</div> <div style="border: 1px solid black; padding: 2px; text-align: center;">OTHER</div>	99999

JOB INFORMATION

STANDARD FEATURES

JOB-LEVEL FEATURES

PAGE-LEVEL

INSTRUCTIONS

QUEUE: PRINTER #3

ID	OWNER	NAME	QTY	DONE
006	FIDELITY INVESTMENTS	BROCHURE	200	156
007	BOSTON BANK	PROSPECTUS	150	0
008	FLEET	SCHEDULE	1200	0
009	PUTNAM INVESTMENTS	ANNOUNCEMENT	800	0
010	MARK & WILL'S GRILL	MENU	300	0

☐ △

☐ ▽

STATUS

☐ READY TO SCAN

☐ PRINTER #3
☐ PRINTING JOB ID: 006

☐

☐ REVIEW JOB

FIG. 4

INTERNATIONAL SEARCH REPORT

Int. National Application No.

PCT/US 98/20151

A. CLASSIFICATION OF SUBJECT MATTER
IPC 6 G06F3/12

According to International Patent Classification (IPC) or to both national classification and IPC

B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)
IPC 6 G06F H04L

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	US 5 579 087 A (SALGADO DAVID L) 26 November 1996 see figures 1-3, 5-7 see column 3, line 24 - column 7, line 53	1, 8
X	US 5 572 643 A (JUDSON DAVID H) 5 November 1996 see figures 1-3 see column 3, line 44 - column 8, line 21	1-20

☐ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

* Special categories of cited documents:

"A" document defining the general state of the art which is not considered to be of particular relevance

"E" earlier document but published on or after the international filing date

"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)

"O" document referring to an oral disclosure, use, exhibition or other means

"P" document published prior to the international filing date but later than the priority date claimed

"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention

"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone

"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.

"&" document member of the same patent family

Date of the actual completion of the international search

13 January 1999

Date of mailing of the international search report

21/01/1999

Name and mailing address of the ISA

European Patent Office, P.B. 5818 Patentlaan 2
NL - 2280 HV Rijswijk
Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,
Fax: (+31-70) 340-3016

Authorized officer

Weiss, P

INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 98/20151

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
US 5579087 A	26-11-1996	JP 8063312 A	08-03-1996
US 5572643 A	05-11-1996	AU 699439 B	03-12-1998
		AU 7458896 A	07-05-1997
		CA 2235014 A	24-04-1997
		EP 0856180 A	05-08-1998
		WO 9715020 A	24-04-1997
		US 5737619 A	07-04-1998